


Heartsaver®  
**Adult CPR and AED  
Skills Testing Checklist**



Student Name \_\_\_\_\_ Date of test \_\_\_\_\_

Workplace Scenario: "A phone is available, and a first aid kit and AED are on the wall. You find a coworker lying on the floor in the break room. Demonstrate what you would do next."

School Scenario: "A phone is available, and a first aid kit and AED are on the wall. You find a visitor lying on the floor in the office. Demonstrate what you would do next."

Community Scenario: "A phone is available, and a first aid kit and AED are on the wall. You find a person lying on the ground in a public space. Demonstrate what you would do next."

**Assessment and Activation**

Assesses scene safety  Verbalizes the scene is safe  Taps and shouts to check responsiveness\*  
 Shouts for help  Sends someone to call 911 and get an AED.  Checks breathing\*

\* After the student taps and shouts, the instructor says, "The person is unresponsive."

\* Once the student sends someone to call 911, the instructor says, "I am going to call 911 and get the AED."

\* After the student checks for breathing, the instructor says, "The person is not breathing normally."

**Cycle 1 of CPR (30:2)**

**Adult Compressions**

Performs compressions\*:  
➢ Hand placement on lower half of breastbone  
➢ 30 compressions in no less than 15 and no more than 18 seconds ( \_\_\_\_\_ seconds)  
➢ Compresses at least 2 inches (5 cm)  
➢ Complete recoil after each compression

**Adult Breaths**

Gives 2 breaths with a barrier device:  
• Each breath given over 1 second  
• Visible chest rise with each breath  
• Returns to compressions in less than 10 seconds

• **CPR feedback devices are required for accuracy**

**Cycle 2 of CPR (repeats steps in Cycle 1) Only check box if step is successfully performed**

Gives 30 compressions ( \_\_\_\_\_ seconds)  Gives 2 effective breaths

Instructor says, "Here is the AED."

**AED(follows prompts of AED)**

Powers on AED  Correctly attaches pads  Clears for analysis  Clears to safely deliver a shock  
 Presses button to deliver shock  Resumes chest compressions immediately

AED trainer says, "The shock has been delivered."

**Cycle 3 of CPR (repeats steps in Cycle 1) Only check box if step is successfully performed**

Gives 30 compressions ( \_\_\_\_\_ seconds)  Gives 2 effective breaths

**Instructor Notes**

- Place a check in the box next to each step the student completes successfully.
- If the student does not complete all steps successfully (as indicated by at least 1 blank check box), the student must receive remediation. Make a note here of which skills require remediation (refer to instructor manual for information about remediation).

**Test Results** Check **PASS** or **NR** to indicate pass or needs remediation:

**PASS**  **NR**

Instructor Initials

Instructor Number

Date

Heartsaver®  
**Infant CPR and AED**  
**Skills Testing Checklist**

American Heart Associa



Student Name \_\_\_\_\_ Date of test \_\_\_\_\_

**Community Scenario:** "While you are pushing an infant in a stroller at the park, you notice that something is wrong with them. You are alone and do not have a phone nearby. Demonstrate what you would do next."

**Home/Daycare Scenario:** "You've just put an infant down for a nap. As you turn to leave, you hear a strange, gasping breath coming from the infant and quickly recognize that they're not breathing normally. You are alone and do not have a phone nearby. Demonstrate what you would do next."

**Assessment and Activation**

Assesses scene safety    Verbalizes the scene is safe    Taps and shouts to check responsiveness\*  
 Shouts for help    Checks breathing

\* After the student taps and shouts, the instructor says, "The infant is unresponsive."

\* Once the student shouts for help, the instructor says, "No one is around to help."

**Cycle 1 of CPR (30:2)**

**Infant Compressions**

Performs compressions\*:  
➤ Uses 2 thumb-hand encircling hands technique or the heel of one hand to give compressions in the center of the chest, on the lower half of the breastbone, just below the nipple line.  
➤ 30 compressions in no less than 15 and no more than 18 seconds ( \_\_\_\_\_ seconds)  
➤ Compresses at least 1 1/2 inches (4 cm)  
➤ Complete recoil after each compression

**Infant Breaths**

Gives 2 breaths with a barrier device:  
• Each breath given over 1 second  
• Visible chest rise with each breath  
• Returns to compressions in less than 10 seconds

• CPR feedback devices are required for accuracy

**Cycle 2 of CPR (repeats steps in Cycle 1) Only check box if step is successfully performed**

Gives 30 compressions ( \_\_\_\_\_ seconds)    Gives 2 effective breaths

**Cycle 3 of CPR (repeats steps in Cycle 1) Only check box if step is successfully performed**

Gives 30 compressions ( \_\_\_\_\_ seconds)    Gives 2 effective breaths

Instructor says, "You have just completed 5 sets of 30 compressions and 2 breaths."

**Activates Emergency Response System (911)**

Verbalizes the need to leave (or take infant with them) to call 911 and get an AED

**Instructor Notes**

- Place a check in the box next to each step the student completes successfully.
- If the student does not complete all steps successfully (as indicated by at least 1 blank check box), the student must receive remediation. Make a note here of which skills require remediation (refer to instructor manual for information about remediation).

**Test Results** Check **PASS** or **NR** to indicate pass or needs remediation:

PASS    NR

Instructor Initials

Instructor Number

Date \_\_\_\_\_